

## **multilayer aggregate**

*in polymer crystals*

A stack of lamellar crystals generated by spiral growth at one or more screw dislocations. The axial displacement over a full turn of the screw (Burgers vector) is usually equal to one lamellar thickness.

***Source:***

Purple Book, p. 82